



42" A.F.F. TO CENTER OF PULL HANDLE
34" TO CENTER OF LOCKSET

2820 Series


Description: Multisliding Doors

Function: Entrances


Detail: Vertical Stiles

Scale: 6" = 1'-0"

SHEET 1 OF 8



EXTERIOR ELEVATION
N.T.S.





2820 Series

Description: Multisliding Doors

Function: Entrances


Detail: Vertical Stiles

Scale: 6" = 1'-0"


42" A.F.F. TO CENTER OF PULL HANDLE

34" TO CENTER OF LOCKSET

SHEET 2 OF 8



EXTERIOR ELEVATION
N.T.S.





2820 Series

Description: Multisliding Doors

Function: Entrances


Detail: Vertical Stiles

Scale: 6" = 1'-0"



42" A.F.F. TO CENTER OF PULL HANDLE

34" TO CENTER OF LOCKSET

SHEET 3 OF 8



EXTERIOR ELEVATION
N.T.S.





2820 Series

Description: Multisliding Doors

Function: Entrances


Detail: Vertical Stiles

Scale: 6" = 1'-0"



42" A.F.F. TO CENTER OF PULL HANDLE

34" TO CENTER OF LOCKSET

SHEET 4 OF 8



EXTERIOR ELEVATION
N.T.S.





42" A.F.F. TO CENTER OF PULL HANDLE
34" TO CENTER OF LOCKSET

2820 Series


Description: Multisliding Doors

Function: Entrances





Detail: Optional Vertical Stiles

Scale: 6" = 1'-0"

SHEET 5 OF 8



EXTERIOR ELEVATION
N.T.S.





2820 Series

Description: Multisliding Doors

Function: Entrances



Detail: Horizontal Stiles

Scale: 6" = 1'-0"





42" A.F.F. TO CENTER OF PULL HANDLE

34" TO CENTER OF LOCKSET

SHEET 6 OF 8



EXTERIOR ELEVATION
N.T.S.



Rough Opening



2820 Series

Description: Multisliding Doors

Function: Entrances


Detail: Pocket Door Options

Scale: 6" = 1'-0"

42" A.F.F. TO CENTER OF PULL HANDLE


34" TO CENTER OF LOCKSET

SHEET 7 OF 8




EXTERIOR ELEVATION
N.T.S.

SINGLE POCKET OPTION



MULTI PANEL POCKET OPTION





2820 Series

Description: Multisliding Doors

Function: Entrances




Detail: Optional Details

Scale: 6" = 1'-0"

42" A.F.F. TO CENTER OF PULL HANDLE



34" TO CENTER OF LOCKSET

SHEET 8 OF 8



POCKET OPTION


OPTIONAL HEAD/JAMB FILLER



OPTIONAL TRACK





OPTIONAL GLASS STOP FOR 1/4" OR 1" GLASS



ROLLER OPTIONS



OPTIONAL HORIZONTAL MUNTIN



Fame Installation

Attach sill to sill pan by applying a straight line of compatible adhesive beads to the bottom of the sill that run from interior to exterior. Width of beads per adhesive manufacturers instructions. Locate adhesive beads between weep slots and weep holes. Do not place adhesive in or next to weep slots or holes in bottom of sill. Adhesive that block weep slots will prevent sill from weeping.

BOTTOM OF TRACK



Splice Installation

Apply a straight line of compatible adhesive beads to the top of the sill pan, to run from interior to exterior, width of beads per adhesive manufacturers instructions. Apply silicone sheet centered if passable over joint. Install track over joint and sill pan.

